

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050169389"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:39
S2	1	UWB and (time adj slot \$1) and (return adj pulse)and user\$1 and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:49
S3	1773	(time adj slot\$1) and (pulse)and user\$1 and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:45
S4	3	(time adj slot\$1) and (return adj pulse)and user\$1 and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:47
S5	1	(time adj slot\$1) and (return adj pulse)and user\$1 and TDMA and (impulse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:48
S6	1	(time adj slot\$1) and (return adj pulse)and user\$1 and TDMA and (impulse or (carrier adj free))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:48
S7	114756	UWB or impulse or (carrier adj free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:49
S8	3315	(UWB or impulse or (carrier adj free)) and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:26
S9	1822	(UWB or impulse or (carrier adj free)) and TDMA and users	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:50

S10	159	(UWB or impulse or (carrier adj free)) and TDMA and users and (return adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:06
S11	12	"5710762"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:22
S12	2	"20030189975"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:22
S13	276	(UWB or impulse or (carrier adj free)) with TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:26
S14	0	(UWB or impulse or (carrier adj free)) with TDMA with (return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:27
S15	0	(UWB or impulse or (carrier adj free)) with TDMA with (return adj (pulse))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:27
S16	21	(UWB or impulse or (carrier adj free)) with TDMA and(return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:27
S17	21	(UWB or impulse or (carrier adj free)) with TDMA and (return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 13:18
S18	11	TDMA with (return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:33
S19	19	"5293380" and slots	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:33

S20	40	"5293380" and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:23
S21	18	"5293380" and propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:23
S22	751	TDMA and (propagation adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:24
S23	14	TDMA and (twice adj propagation adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:31
S24	11	"4498169" and (time adj slot\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:32
S25	3	"4498169" and (time adj intervals)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:01
S30	844	(time adj (slot\$1 or interval\$1)) and TDMA and (single adj user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 11:37
S31	5	"20030161411"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 11:28
S32	2	"20010004381"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 14:25
S33	0	"20040021517" and quasi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 14:27
S34	22	"4498169"	USPAT	OR	OFF	2007/05/10 09:23

S35	6911	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:27
S36	0	TDMA and users and (time adj (interval)) and transmit\$4 and receiv\$4 and (retrurn adj pulse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:27
S37	1788	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4 and pulse \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:29
S38	782	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4 and pulse \$1 and return	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:29
S39	20	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4 and pulse \$1 and (return adj pulse \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:54
S40	7	TDMA and (multiple adj users) and (time adj (interval or slot\$)) and transmit\$4 and receiv \$4 and pulse\$1 and (return adj pulse\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:56
S41	7	TDMA and (multiple adj users) and (time adj (interval or slot\$)) and (return adj pulse\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:57
S42	1	TDMA and (subinterval \$1) and (return adj pulse\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:57
S43	44	TDMA and (subinterval \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:03
S44	24	TDMA and (subinterval \$1) and users	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:20

S45	1	TDMA and (subinterval\$1) and (share\$1 adj users)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:23
S46	1	TDMA and (one adj subinterval\$1) and (multiple adj users)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 11:06
S47	4	"5930246"	US-PGPUB; USPAT	OR	OFF	2007/05/10 13:42
S48	3	"5930246" and bits	US-PGPUB; USPAT	OR	OFF	2007/05/10 13:48
S49	667	TDMA and (time adj slot\$1) and user with bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:49
S50	3	TDMA with (time adj slot\$1) with user with bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:52
S51	0	TDMA with (time adj slot\$1) with (twice adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:54
S52	4	TDMA with (time adj slot\$1) and (twice adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:55
S53	709	TDMA with (time adj slot\$1) and (twice or two) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:56
S54	18	TDMA with (time adj slot\$1) with (twice or two) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58
S55	0	TDMA with (time adj slot\$1) with (twice adj delay\$3) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58

S56	0	TDMA with (time adj slot\$1) and (twice adj delay\$3) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58
S57	0	TDMA and (time adj slot\$1) and (twice adj delay\$3) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58
S58	843	TDMA and (time adj slot\$1) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:59
S59	114	TDMA and (time adj slot\$1) same (propagat\$3 adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:00
S60	51	TDMA same(time adj slot\$1) same (propagat\$3 adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:04
S61	33	TDMA same(time adj slot\$1) same (propagat\$3 adj time) and interference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:06
S62	7	TDMA same(time adj slot\$1) same (propagat\$3 adj time) same interference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:08
S63	79	TDMA same(time adj slot\$1) same (delay\$3) same interference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:08
S64	9	TDMA same(time adj slot\$1) same (delay\$3) same ((minimize or reduc\$3 or less or avoid\$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:16
S65	0	TDMA same(time adj slot\$1) same (twice or (two adj times)) same ((minimize or reduc\$3 or less or avoid\$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:16

S66	0	TDMA same(time adj slot\$1) same (twice) same ((minimize or reduc\$3 or less or avoid \$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:17
S67	4	TDMA same (twice) same ((minimize or reduc\$3 or less or avoid \$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:19
S68	953	TDMA same guard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:19
S69	396	TDMA same guard same (time adj slots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:19
S70	136	TDMA same (guard adj time) same (time adj slots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:24
S71	0	TDMA same (guard adj time) same (time adj slots) same twice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:24
S72	1	TDMA same (twice adj propagat\$3 adj delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:25
S73	0	TDMA with (twice adj propagat\$3 adj delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:25
S74	55	TDMA and (twice adj propagat\$3 adj delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:26
S75	0	"5930246" and UWB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 09:57

S76	723	TDMA and UWB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:01
S77	2	TDMA/TDD and UWB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 09:58
S79	10	TDMA near UWB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:01
S80	2	TDMA same UWB same (high adj frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:02
S81	256	TDMA same UWB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 15:06
S82	4	"7075981"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 15:09
S83	20	"6741569"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 15:09
S84	78	(UWB or ultra adj wideband) with (TDMA or time adj division adj multiple adj asscee) same (modem\$1 or transceiver\$1 or transmit\$4 with receiv \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 15:31
S86	535	(UWB) with advantage \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 15:55

S87	767	(UWB) same advantage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 15:55
S88	80	(UWB) near advantage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 15:55
S89	67	"6101176"	US-PGPUB; USPAT	OR	OFF	2007/10/17 16:18
S93	818	TDMA and (time adj slots) and (propagation adj delay)	US-PGPUB; USPAT	OR	OFF	2007/10/17 16:20
S94	48	TDMA and (time adj slots) with (propagation adj delay)	US-PGPUB; USPAT	OR	OFF	2007/10/17 16:22
S95	28	TDMA and (time adj interval) with (propagation adj delay)	US-PGPUB; USPAT	OR	OFF	2007/10/17 16:26
S98	7	(TDMA adj time adj interval)	US-PGPUB; USPAT	OR	OFF	2007/10/17 16:26
S99	2	"20050169389" and propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 09:53
S100	78	tdma with (time adj interval\$1) with slots	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 10:03
S101	1	tdma with (time adj interval\$1) with slots with propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 10:04
S102	219	tdma and (time adj interval\$1) and slots and (propagation adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 10:07
S103	0	tdma and (time adj interval\$1) and slots and (propagation adj twice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 10:08

S104	11	tdma and (time adj interval\$1) and slots and (propagation near twice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 10:08
S105	2296	tdma and (time adj interval\$1) and (propagation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 11:01
S106	849	tdma and (time adj interval\$1) same (delay \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 11:01
S107	154	tdma and (time adj interval\$1) same (delay \$3) same slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 11:02
S108	90	tdma and (slot\$1 near time near delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 11:02
S109	4	tdma and (slot\$1 adj time adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 11:03
S110	1	10/252483	US-PGPUB; USPAT	OR	OFF	2008/03/26 11:49
S111	1	10/252483 and slots and time	US-PGPUB; USPAT	OR	OFF	2008/03/26 11:50
S112	11	(guard adj interval) with tdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:11
S113	0	(guard adj interval) with prepagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:13
S114	0	(guard adj interval) and prepagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:13

S115	1072	(guard adj interval) and propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:13
S116	125	(guard adj interval) with propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:13
S117	3	(guard adj interval) near propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:13
S118	11	(guard adj interval) same (propagation adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:15
S119	0	(guard adj interval) with propagation near twice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:18
S120	0	(guard adj period) with propagation near twice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:20
S121	40	(guard adj period) with propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:20
S122	0	(guard adj period) with propagation with twice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:22
S123	0	(guard adj period) with propagation with (two adj times)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/26 14:22

3/ 26/ 08 5:19:45 PM

C:\Documents and Settings\EZheng\My Documents\EAST\Workspaces\10773137.wsp